

SAFETY DATA SHEET

Issued: 25/01/2024

Revision No: 01

SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

PRODUCT: REVITANAIL STOP BITE & GROW

Manufacturers Product Code: **90.2**
UN Number: **1993**
Proper Shipping Name: **FLAMMABLE LIQUID, N.O.S.**
INCI Name: **Not Applicable**
Recommended Use: **Cosmetic Nail Preparation**
Poisons Schedule: **WARNING**

Manufacturer: **Neon Cosmetics Pty Ltd**
Address: **39 London Drive**
Bayswater
Vic 3153 Australia

Emergency Contacts:
Business Hrs: Ph **61 3 9761 3322**

SECTION 2: HAZARD IDENTIFICATION

Hazard pictograms:



GHS07

GHS02

Signal Word:
WARNING

Hazard statements:

H226 Flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.
P243 Take precautionary measures against static discharge.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403 + P235 Store in a well-ventilated place. Keep cool.



SAFETY DATA SHEET

Issued: 25/01/2024

Revision No: 01

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient	CAS No	% w/w
Propanol	67-63-0	25 - 50
Ethanol	64-17-5	1 - 10
MENTHA PIPERITA OIL		1 - 5
Other Ingredients determined to be Non-Hazardous		35 - 73

SECTION 4: FIRST AID MEASURES

Emergency First Aid:

Inhalation:	In the event of massive inhalation, remove the person exposed to fresh air. Keep warm and at rest. If the person is unconscious, place in recovery position. Notify a doctor in all events, to ascertain whether observation and supportive hospital care will be necessary. If breathing is irregular or has stopped, effect mouth-to-mouth resuscitation and call a doctor. In the event of an allergic reaction, seek medical attention.
Ingestion:	Harmful if swallowed. May cause abdominal spasms, headaches, dizziness, and dullness. Do not induce vomiting, seek medical advice <u>immediately</u> and show container or this form.
Eyes:	Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open. If there is any redness, pain or visual impairment, consult an ophthalmologist.
Skin:	In the event of an allergic reaction, seek medical attention

In case of accident, or if you feel unwell, seek medical advice immediately.

SECTION 5: FIRE FIGHTING MEASURES

Extinguishing Media:

Use dry chemical or CO2 for small fires.

Suitable methods of extinction

In the event of a fire, use:

- water with AFFF (Aqueous Film Forming Foam) additive
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Prevent the effluent of fire-fighting measures from entering drains or waterways.

Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet

Hazards from Combustion Products:

Highly flammable liquid burns rapidly with thick black smoke. On burning will emit carbon monoxide and carbon dioxide.



SAFETY DATA SHEET

Issued: 25/01/2024

Revision No: 01

Precautions for Fire Fighters and Special Protective Equipment:

Fire Fighters to wear self-contained breathing apparatus if risk exists of exposure to vapour or products of combustion.
Use breathing apparatus in confined spaces.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Emergency Procedures:

Because of the organic solvents contained in the mixture, eliminate sources of ignition, and ventilate the area.
Avoid inhaling the vapours.
Avoid any contact with the skin and eyes.
Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.
Prevent any material from entering drains or waterways.
Alert authorities if contamination of groundwater or river.
- Small quantities: absorb with inert absorbent material (eg sand, universal binder, silica gel...)
- Large quantities: bailing or pumping liquid as quickly as possible using a hand pump or protected against explosive atmospheres. Place the collected liquid into a suitable container.

UN Number:

1993

Proper Shipping Name:

FLAMMABLE LIQUID, N.O.S.

Methods and Materials for Containment and Clean Up:

Do not empty into drains. Hazardous to waterways, confine spillages. Contain using sand or absorbent material and remove to solid waste.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling:

Fire prevention:
Handle in well-ventilated areas.
Vapours are heavier than air. They can spread along the ground and form mixtures that are explosive with air.
Prevent the formation of flammable or explosive concentrations in air and avoid vapor concentrations higher than the occupational exposure limits.
The mixture can become electrostatically charged: always earth during decanting operations. Wear antistatic shoes and clothing and floors should be electrically conductive.
Use the mixture in premises free of naked flames or other sources of ignition and ensure that electrical equipment is suitably protected.
Keep packages tightly closed and away from sources of heat, sparks and naked flames.
Do not use tools which may produce sparks. Do not smoke.

Prohibited equipment and procedures:

No smoking, eating, or drinking in areas where the mixture is used.



SAFETY DATA SHEET

Issued: 25/01/2024

Revision No: 01

Conditions for Safe Storage:

Keep at a temperature not exceeding 30°C.
Reduce the temperature to better preserve the product.

Storage

Keep the container tightly closed in a dry, well-ventilated place.
Keep away from all sources of ignition - do not smoke.
Keep well away from all sources of ignition, heat, and direct sunlight.
Avoid accumulation of electrostatic charges.
The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Levels:

No value is available for this specific product, however individual limits for major ingredients are as follows:

		TWA	STEL
Propanol	67-63-0	200 ppm	400 pm
Ethanol	64-17-5	1000 ppm	

Engineering Control Measures:

Use personal protective equipment that is clean and has been properly maintained.
Store personal protective equipment in a clean place, away from the work area.
Never eat, drink, or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

Personal Protective Equipment:

Eye Protection: Avoid contact with eyes.
Use eye protectors designed to protect against liquid splashes.
Before handling, wear safety goggles with protective sides accordance with standard EN166.

Skin Protection: Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.
Work clothing worn by personnel shall be laundered regularly.
After contact with the product, all parts of the body that have been soiled must be washed.

Respiratory Protection: Avoid breathing vapours.
If the ventilation is insufficient, wear appropriate breathing apparatus.



SAFETY DATA SHEET

Issued: 25/01/2024

Revision No: 01

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Coloured Liquid
Odour:	Characteristic
pH:	Not Applicable
Vapour Pressure (mm Hg)	Between 175 kPa and 300 kPa inclusive.
Density	< 1
Boiling Point:	Not specified.
Melting Point:	Not Determined
Solubility in Water:	Insoluble
Specific Gravity (Water = 1)	Not determined
Flash Point:	23°C <= PE <= 55°C
Flammable (Explosive) Limits:	Not specified.
Ignition Temperature:	Not Determined

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability:	Stable under normal storage conditions.
Conditions to Avoid:	Avoid elevated temperatures.
Incompatible Materials:	Avoid contact with acids, alkalis, or strong oxidising substances.
Hazardous Decomposition Products:	Forms Carbon Monoxide and Oxides of Nitrogen in fires.
Hazardous Reactions:	Will not occur.

SECTION 11: TOXICOLOGICAL INFORMATION

There is no data available on the product itself.

Acute and Chronic Health Effects:

Inhalation:	Exposure to vapours from solvents in the mixture in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver, and central nervous system. Symptoms produced will include headaches, numbness, dizziness, fatigue, muscular asthenia and, in extreme cases, loss of consciousness.
Skin Contact:	Repeated or prolonged contact with the mixture may cause removal of natural oil from the skin resulting in non-allergic contact dermatitis and absorption through the skin
Eye Contact:	May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days. Splashes in the eyes may cause irritation and reversible damage.

SECTION 12: ECOLOGICAL INFORMATION

There is no data available on the product itself.



SAFETY DATA SHEET

Issued: 25/01/2024

Revision No: 01

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal Methods: Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, without risk to water, air, soil, plants, or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

Container remains hazardous when empty. Continue to comply with all safety regulations.

Do not burn or use the cutting torch on empty containers.

SECTION 14: TRANSPORT INFORMATION

UN Number: 1993

Proper Shipping Name: UN1993=FLAMMABLE LIQUID, N.O.S.

Class: 3

Packaging Group: III

Hazchem Code: 3[Y]E

IMDG Label: 3

SECTION 15: REGULATORY INFORMATION

Classified as hazardous.

Poisons Schedule: WARNING

Labelling:

Risk Phrases: R 36 Irritating to eyes.
R 10 Flammable.
R 67 Vapours may cause drowsiness and

Safety Phrases: S 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S 60 This material and its container must be disposed of as hazardous waste.



SAFETY DATA SHEET

Issued: 25/01/2024

Revision No: 01

SECTION 16: OTHER INFORMATION

The information contained herein is based on the current state of our knowledge. It characterises the product with regard to the appropriate health and safety precautions. It does not represent a guarantee of the properties of the product.

Version Number	Issue Date	Description of Revision
0	9/06/2021	Original Document
1	25/01/2024	Format update

END OF SDS